

LVK series

Electrical and visual oil level indicator



Technical data

Electrical Oil Level Indicators

LVK is a range of electrical and visual fluid level indicators for monitoring of the fluid level into the tank. They are directly fitted on the tank side. The float moves through the indicator housing while the fluid level changes.

Available features:

- Several male threaded connections
- Three different sizes, to meet every size of tank
- Thermometer, thermostat or PT100, to check the temperature of the fluid

Common applications:

- Hydraulic systems
- Mobile machines
- Industrial equipment

Electrical symbol:

see page. 118

Materials

- Head: Polyamide
- Screws: Nickel plated brass (standard), AISI 314 (optional)
- Seal: NBR (standard)
- Float: Polyamide
- Sensor thermometer: Screw + thermometer

Temperature

From -20 °C to + 80 °C

Weight


LVK 10 0.140 kg LVK 20 0.170 kg LVK 30 0.250 kg




Designation & Ordering code


	-	COMPL	ETE E	LECTRIC	CAL AND VISUAL OI	L LEVEL	INDICA	ATORS	3						
Series					Configuration example :	LVK	20	Α		V 112	1		 T	5	P01
LVK					·					T					
Lengt	h				I										
10	20 30				-										
Seals		-		-	I										
Α	NBR														
Conne	ections				I										
M10	Screws M10 M12	Screws	M12		_										
Electr	ical switch in absence of fluid				I										
1	N.O. (Normally Open)														
2	N.C. (Normally Closed)				=										
3	SPDT (single-pole, double throw)				=										
			Connectio		-										
Versio		M10		M12											
S	Standard	•		•	=										
T	With thermostat	-		•	-										
P	With PT100 sensor	-		•	-										
Thoma	anatat aatting		Version	l p	ı										
S	nostat setting Standard (no setting)	•		•											
1	50°C N.O. (Normally Open)		•		-										
2	60°C N.O. (Normally Open)		•		-										
3	70°C N.O. (Normally Open)	_	•	_	-										
5	50°C N.C. (Normally Closed)	_	•	_	-					II S	cecut	ion			
6	60°C N.C. (Normally Closed)	-	•	-	=					PO		ion MP Fil	tri sta	ndard	
7	70°C N.C. (Normally Closed)	-	•	-	-					Px		Custo		iauiu	
					-							24010			


Dimensions





Electrical symbols























Electrical Oil Level Indicator